



## Edencraft 6m

With the DF140BG

### Test conditions

2022-10-25	Cairns QLD	20°C	Crew of 4	Calm	15 knts N Wind	300L fuel onboard
------------	---------------	------	--------------	------	-------------------	----------------------

# Edencraft 6m

HULL TYPE	Monohull
MATERIAL	GRP
LENGTH	6.4M
BEAM	2.5M
DRY WEIGHT	2500KG
MAXIMUM HP	280HP
FUEL CAPACITY	350L
WEIGHT AS TESTED (Approximate)	2500KG
STEERING TYPE	Hydraulic

# DF140BG

HORSEPOWER	140HP
CYLINDER	4
WEIGHT	192KG
GEAR RATIO	2.59:1
DISPLACEMENT	2.0L
MOUNTING HOLE POSITION	
NUMBER OF ENGINES	2

## PROPELLER


PROPELLER TYPE	Watergrip Stainless steel
DIAMETER/PITCH	13 7/8" x 23"
NUMBER OF BLADES	3
PART NUMBER	58200-92J80-000 & 58200-92JD0-000

## PERFORMANCE SUMMARY

OPTIMAL CRUISE SPEED	4500 rpm @ 1.3 KM per litre
CRUISE RANGE (APPROX) BASED ON 95% FUEL CAPACITY	210 NM or 389 KM
MAXIMUM SPEED	44 Knots or 81.5 km/h
0-40KM/H	3.5SECONDS

Results on individual boats may vary due to many factors, including weather, tides, boat load, hull, lower unit & propeller conditions. Suzuki Australia P/L accepts no responsibility for the accuracy of these readings.

**DF140BG FUEL CONSUMPTION COMPARISON**



# DF140BG PERFORMANCE FIGURES

RPM	Av KM/H	L/Hr	Av L/KM
-----	---------	------	---------

© 2023 Suzuki Marine

EDENCRAFT 6M WITH THE DF140BG